

Symptoms of respiratory infections, including COVID-19

Respiratory infections can spread easily between people. It is important to be aware of symptoms so you can take action to reduce the risk of spreading your infection to other people.

The symptoms of COVID-19 and other respiratory infections are very similar. It is not possible to tell if you have COVID-19, flu or another respiratory infection based on symptoms alone. Most people with COVID-19 and other respiratory infections will have a relatively mild illness, especially if they have been vaccinated.

If you have symptoms of a respiratory infection, such as COVID-19, and you have a high temperature or you do not feel well enough to go to work or carry out normal activities, you are advised to try to stay at home and avoid contact with other people.

Symptoms of COVID-19, flu and common respiratory infections include:

- continuous cough
- high temperature, fever or chills
- loss of, or change in, your normal sense of taste or smell
- shortness of breath
- unexplained tiredness, lack of energy
- muscle aches or pains that are not due to exercise
- not wanting to eat or not feeling hungry
- headache that is unusual or longer lasting than usual
- sore throat, stuffy or runny nose
- diarrhoea, feeling sick or being sick

What to do if you have symptoms of a respiratory infection, including COVID-19, and have not taken a COVID-19 test

Try to stay at home and avoid contact with other people

If you have symptoms of a respiratory infection, such as COVID-19, and you have a high temperature or do not feel well enough to go to work or carry out normal activities, try to stay at home and avoid contact with other people, until you no longer have a high temperature (if you had one) or until you no longer feel unwell.

Children and young people aged 18 years and under who have a positive test result

It is not recommended that children and young people are tested for COVID-19 unless directed to by a health professional.

If a child or young person has a positive COVID-19 test result they should try to stay at home and avoid contact with other people for 3 days after the day they took the test, if they can. After 3 days, if they feel well and do not have a high temperature, the risk of passing the infection on to others is much lower. This is because children and young people tend to be infectious to other people for less time than adults.

Children and young people who usually go to school, college or childcare and who live with someone who has a positive COVID-19 test result should continue to attend as normal.